

Version number: 1.4 / Creation date: 20.06.2022

# Adjustment adhesive / Liquid metal, hardener

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Trade name: Adjustment adhesive / liquid metal, hardener

Article number: #62400233

UFI code: EACR-RTKG-ES5A-U1HA

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses Adhesive

#### 1.2.2 Uses advised against None known

## 1.3. Details of the supplier of the safety data sheet

Company name: Baumann Dental GmbH

Street/P.O. Box: Im Hölderle 5

Post code, Place: D-75196 Remchingen www.baumann-dental.de @-mail: info@baumann-dental.de Telephone: +49 (0) 7232 - 73218 - 0 Telefax: +49 (0) 7232 - 73218 - 99

Department responsible for information:
Telephone: +49 (0) 7232 - 73218 - 0
E-mail: info@baumann-dental.de

### 1.4. Emergency telephone number

Germany: +49(0)551-19240 (Poison Information Centre North, 24h in German and English)

Austria: +43(0)1-4064343 (Poison Information Centre, 24h)

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture [REGULATION (EC) No. 1272/2008]

Skin Sens. 1B: H317 May cause an allergic skin reaction.

 $\label{lem:chronic 3: H412 Harmful to aquatic life with long lasting effects.}$ 

### 2.2 Label elements

The product is subject to labelling according to the Regulation (EC) 1272/2008 (CLP).

# Hazard pictograms



# Signal word: ATTENTION

Contains: Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol

(4:1), 2-hydroxy-3-mercaptopropyl ether H317 May cause an allergic skin reaction.

Hazard statements: H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements: P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P273 Avoid release to the environment. P280 Wear protective gloves.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container according to local/national regulations.

Special labelling: EUH212 Warning! Hazardous respirable dust may be formed when used.

Do not breathe dust.

# 2.3 Other hazards

Health hazards: Frequent and prolonged skin contact may cause skin irritation.

Environmental hazards: Does not contain PBT or vPvB substances.

Other hazards: No other hazards have been identified based on current knowledge.



Version number: 1.4 / Creation date: 20.06.2022

# Adjustment adhesive / Liquid metal, hardener

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1. Substances:

Not applicable

### 3.2. Mixtures:

This product is a mixture.

Content [%]	Component
30-50	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propane-diol (4:1), 2-hydroxy-3-mercaptopropyl ether
	CAS: 72244-98-5, EINECS/ELINCS: 615-735-8, Reg No.: 01-2120118957-46
	GHS/CLP: Skin Sens. 1B: H317 - Aquatic Chronic 3: H412
30-50	Limestone
	CAS: 1317-65-3, EINECS/ELINCS: 215-279-6
10-30	Barium sulphate
	CAS: 7727-43-7, EINECS/ELINCS: 231-784-4
1-<10	2,4,6-Tris(dimethylaminomethyl)phenol
	CAS: 90-72-2, EINECS/ELINCS: 202-013-9, EU-INDEX: 603-069-00-0
	GHS/CLP: Acute Tox. 4: H302 - Eye Irrit. 2: H319 - Skin Irrit. 2: H315
1-5	Talc (Mg3H2(SiO3)4)
	CAS: 14807-96-6, EINECS/ELINCS: 238-877-9
1-5	Titanium dioxide
	CAS: 13463-67-7, EINECS/ELINCS: 236-675-5, Reg No.: 01-2119489379-17-XXXX

Comments on components:

SVHC list (candidate list of Substances of Very High Concern for authorisation):

Contains none or less than 0.1% of the listed substances.

Wording of the listed H statements is given in SECTION 16.

# **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures

General notes: Take off contaminated clothing and wash it before reuse.

If inhaled: Provide for fresh air.

If symptoms develop, get medical treatment.

In case of skin contact: Wash with plenty of water and soap immediately after contact with the skin.

If skin irritation persists, consult a doctor.

In case of eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical advice/attention.

If swallowed: Get medical treatment.

Rinse mouth and drink lots of water.

Do not induce vomiting.

# 4.2 Most important acute or delayed symptoms and effects

No information available.

If eye irritation persists:

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Give the safety data sheet to the doctor.

Additional notes: Prevent penetration of extinguishing water into surface waters or groundwater.



Page 3 of 11

# Safety data sheet according to Regulation (EC) No. 1907/2006 (REACH), Article 31

Version number: 1.4 / Creation date: 20.06.2022

# Adjustment adhesive / Liquid metal, hardener

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Extinguishing media

Suitable extinguishing media: Foam, dry powder, water spray, carbon dioxide.

Unsuitable extinguishing media: Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Danger of forming toxic pyrolysis products.

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated extinguishing water must be disposed of in accordance with local official regulations.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Particular risk of slipping due to leaked/spilled product.

#### 6.2 Environmental precautions

Prevent spreading over a wider area (e.g. by damming or oil barriers).

Do not allow to enter the sewage system/surface water/groundwater.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, sawdust, universal binders, diatomite).

 $\label{thm:collected} \mbox{Dispose of the collected material according to regulations.}$ 

## 6.4 Reference to other sections

See SECTIONS 8+13

# **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

No special measures required if used correctly.

Wash hands prior to breaks and at the end of work.

 $\label{preventive} Preventive \ skin\ protection\ by\ applying\ skin\ protection\ ointment.$ 

Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities

Only store in the original container.

Do not store together with oxidants.

Keep containers tightly closed.

Keep cool. Keep dry.

Protect against warming/overheating.

Recommended storage temperature: 5°C - 30°C

Storage class:

(TRGS 510) LGK 10-13

## 7.3 Specific end uses

See product use, SECTION 1.2



Version number: 1.4 / Creation date: 20.06.2022

# Adjustment adhesive / Liquid metal, hardener

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Occupational exposure limits (DE)

Component

Talc (Mg3H2(SiO3)4)

CAS: 14807-96-6, EINECS/ELINCS: 238-877-9

Occupational exposure limit: General dust limit: inhalable fraction 10 mg/m³, respirable fraction 1.25 mg/m³, exceedance factor 2(II), AGS, DFG

### DNEL

_				
ſη	m	nn	ne	ntء

Titanium dioxide, CAS: 13463-67-7

Industry, inhalation, long-term local effects: 10 mg/m³.

Trades, inhalation, long-term local effects: 10 mg/m³.

Consumers, oral, long-term systemic effects: 700 mg/kg/d.

Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether, CAS: 72244-98-5

Industry, dermal, long-term systemic effects: 2.7 mg/kg bw/d (AF=90).

Industry, inhalation, long-term systemic effects: 22 mg/m³ (AF=6).

Consumers, oral, long-term systemic effects: 1.9 mg/kg bw/d (AF=40).

Consumers, inhalation, long-term systemic effects: 6.52 mg/m³ (AF=10).

Consumers, dermal, long-term systemic effects: 1.61 mg/kg bw/d (AF=150).

### PNEC

Coi	oam	ner	١t

Titanium dioxide, CAS: 13463-67-7

Oral ingestion (foods), 1667 mg/kg.

Soil (agricultural), 100 mg/kg.

Sediment (sea water), 100 mg/kg.

Sediment (fresh water), 1000 mg/kg.

Sewage plant/ sewage treatment plant (STP), 100 mg/L.

Sea water, 1 mg/L.

Fresh water, 0.127 mg/L.

Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether, CAS: 72244-98-5

Soil (agricultural), 23 µg/kg dw.

Sediment (sea water), 32 µg/kg dw.

Sediment (fresh water), 322 µg/kg dw.

Sewage plant/ sewage treatment plant (STP), 10 mg/L (AF=100).

Sea water, 7 µg/L (AF=500).

Fresh water, 70 µg/L (AF=50).



Version number: 1.4 / Creation date: 20.06.2022

# Adjustment adhesive / Liquid metal, hardener

8.2 Exposure controls

Additional information on the design of technical systems: Ensure sufficient ventilation at the workplace.

Eve protection: Safety goggles. (EN 166:2001)

Hand protection: The information provided is a recommendation.

For more information, please contact the glove supplier.

With prolonged contact: >0.5 mm; butyl rubber, >120 min (EN 374-1/-2/-3).

Body protection: Not required under normal conditions.

Other protective measures: The type of personal protective equipment must be selected specifically for the

workplace, depending on the concentration and quantity. The chemical resist-

ance of the protective items must be clarified with their suppliers.

Avoid contact with eyes and skin. Not required under normal conditions.

Respiratory protection: Thermal hazards: Not applicable

Environmental exposure controls and monitoring: Comply with applicable environmental guidelines that limit discharge to air,

water and soil.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

Form: Paste Colour: White Odour: Characteristic

Odour threshold: No information available pH value: No information available

pH value [1%]: Not applicable Initial boiling point and boiling range [°C]: Not applicable

Flash point [°C]: >93

No information available Flammability (solid, gaseous) [°C]:

Lower flammability or explosion threshold: Not applicable Upper flammability or explosion threshold: Not applicable

Oxidising properties: No

No information available Vapour pressure [kPa]:

Relative density [g/ml]: 1.69

Bulk density [kg/m³]: Not applicable Insoluble Solubility in water:

Distribution coefficient [n-octanol/water]: No information available No information available Viscosity: Vapour density: No information available Evaporation rate: No information available Melting point/freezing point [°C]: No information available Auto-ignition temperature [°C]: No information available Decomposition temperature [°C]: No information available

### 9.2 Other information

No information available

# SECTION 10: STABILITY AND REACTIVITY

## 10.1 Reactivity

None known if used as intended.

### 10.2 Chemical stability

Stable under normal ambient conditions (room temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidants.



Version number: 1.4 / Creation date: 20.06.2022

# Adjustment adhesive / Liquid metal, hardener

### 10.4 Conditions to avoid

Intense heating.

### 10.5 Incompatible materials

Strong oxidising agents Amines.

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute toxicity

Product
ATE-mix, dermal, >2000 mg/kg bw.
ATE-mix, oral, >2000 mg/kg bw.

Component
2,4,6-Tris(dimethylaminomethyl)phenol, CAS: 90-72-2
LD50, oral, rat: 1200 mg/kg (RTECS).
LD50, dermal, rat: 1280 mg/kg IUCLID.
LD50, oral, rat: 1916-2455 mg/kg IUCLID.
Barium sulphate, CAS: 7727-43-7
LD50, oral, rat: > 2000 mg/kg (Lit.).
Titanium dioxide, CAS: 13463-67-7
LD50, dermal, rabbit: >5000 mg/kg.
LD50, oral, rat: >5000 mg/kg (OECD 425).
LC50, inhalation, rat: >6.8 mg/L/4h.
NOAEL, oral, rat: 3500 mg/kg/d (90 d).
NOAEC, inhalation, rat: 10 mg/m³ (90 d).
Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether, CAS: 72244-98-5
LD50, dermal, rabbit: >10,200 mg/kg bw.
LD50, oral, rat: 2600 mg/kg bw.

# Serious eye damage/irritation

LC50, inhalation, rat: >0.1 mg/L.

Based on the available information, the classification criteria are not met.

# Skin corrosion/irritation

Based on the available information, the classification criteria are not met.

### Respiratory/skin sensitisation

May cause an allergic skin reaction.

Calculation method

Based on the available information, the classification criteria are met.

### Specific target organ toxicity at single exposure

Based on the available information, the classification criteria are not met.



Version number: 1.4 / Creation date: 20.06.2022

# Adjustment adhesive / Liquid metal, hardener

### STOT - repeated exposure

Based on the available information, the classification criteria are not met.

#### Mutagenicity

Based on the available information, the classification criteria are not met.

### **Reproductive toxicity**

Based on the available information, the classification criteria are not met.

### Carcinogenicity

Based on the available information, the classification criteria are not met.

#### Aspiration hazard

Based on the available information, the classification criteria are not met.

### **General comments**

Toxicology data are not available for the overall product.

The toxicology data provided for the ingredients are intended for allied medical professions, specialists in occupational health and safety, and toxicologists.

# SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

#### Product

Based on the available information, the classification criteria are not met.

Com	pone	nt
COIII	ponc	

Barium sulphate, CAS: 7727-43-7

EC50, (48 h), Daphnia magna: 32 mg/L (Lit.).

Talc (Mg3H2(SiO3)4), CAS: 14807-96-6

LC50, (24 h), Brachydanio rerio: >100 mg/L (IUCLID).

Titanium dioxide, CAS: 13463-67-7

LC50, (48 h), Daphnia magna: >100 mg/L (OECD 202).

LC50, (96 h), Oncorhynchus mykiss: >100 mg/L (OECD 203).

LC50, (96 h), Pimephales promelas: >1000 mg/L.

EC50, (72 h), Pseudokirchneriella subcapitata: 16 mg/L.

NOEC, (28 d), bacteria: >100,000 mg/kg (ASTM 1706).

Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether, CAS: 72244-98-5

LC50, (96 h), Danio rerio: 87 mg/L

EC50, (21 d), Daphnia magna: 3.5 mg/L.

EC50, (48 h), Daphnia magna: 12 mg/L.

ErC50, (72 h), Desmodesmus subspicatus: >733 mg/L.

### 12.2 Persistence and degradability

Behaviour in environmental compartments: Not determined Behaviour in sewage plants: Not determined Biodegradability: Not determined



Version number: 1.4 / Creation date: 20.06.2022

# Adjustment adhesive / Liquid metal, hardener

### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information, not to be classified as PBT or vPvB.

#### 12.6 Other adverse effects

Environmental data are not available for the overall product.

Do not allow product to enter the sewage system unregulated.

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

 $Product \, residues \, must \, be \, disposed \, of \, in \, compliance \, with \, Waste \, Directive \, 2008/98/EC \, and \, national \, and \, regional \, regulations. \, No \, waste \, code \, and \, regional \, regulations \, and \, regulations \, are the product \, residues \, and \, regulations \, are the product \, residues \, and \, regulations \, are the product \, residues \, and \, regulations \, are the product \, residues \, and \, regulations \, are the product \, residues \, and \, regulations \, are the product \, regulations \, and \, regulations \, are the product \, regulations \, and \, regulations \, are the product \, regulations \, and \, regulations \, are the product \, regulations \, and \, regulations \, are the product \, regulations \, and \, regulations \, are the product \, regulations \, and \, regulations \, are the product \, regulations \, and \, regulations \, are the product \, regulations \, and \, regulations \, are the product \, regulations \, and \, regulations \, are the product \, regulations \, and \, regulations \, are the product \, regulations \, are the product \, regulations \, are the product \, regulations \, and \, regulations \, are the product \, regulations \, are the$ number according to the European Waste Catalogue (AVV) can be defined for this product, as only the intended use by the consumer allows a classification. In the EU, the waste code number is determined in consultation with the disposal company.

Product Determine the disposal in agreement with authorities as necessary.

Contact manufacturer about recycling.

AVV No. (recommended) 080410 Adhesive and sealant waste with the

exception of those that fall under 080409\*.

Uncleaned packaging: Uncontaminated packaging can be recycled.

Packaging that cannot be cleaned must be disposed of in the same way as the substance itself.

AVV No. (recommended): 150102 Plastic packaging.

# **SECTION 14: TRANSPORT INFORMATION**

### 14.1 UN number

Surface transport according to ADR/RID: Not applicable Inland waterway transport (ADN): Not applicable Transport by sea according to IMDG: Not applicable Air transport according to IATA: Not applicable

### 14.2 UN proper shipping name

Surface transport according to ADR/RID: NOT CLASSIFIED AS DANGEROUS GOODS Inland waterway transport (ADN): NOT CLASSIFIED AS DANGEROUS GOODS Transport by sea according to IMDG: NOT CLASSIFIED AS DANGEROUS GOODS NOT CLASSIFIED AS DANGEROUS GOODS Air transport according to IATA:

## 14.3 Transport hazard classes

Surface transport according to ADR/RID: Not applicable Inland waterway transport (ADN): Not applicable Transport by sea according to IMDG: Not applicable Air transport according to IATA: Not applicable

## 14.3 Transport hazard classes

Surface transport according to ADR/RID: Not applicable Inland waterway transport (ADN): Not applicable Not applicable Transport by sea according to IMDG: Air transport according to IATA: Not applicable



Version number: 1.4 / Creation date: 20.06.2022

# Adjustment adhesive / Liquid metal, hardener

### 14.4 Packing group

Surface transport according to ADR/RID: Not applicable Inland waterway transport (ADN): Not applicable Transport by sea according to IMDG: Not applicable Air transport according to IATA: Not applicable

### 14.5 Environmental hazards

Surface transport according to ADR/RID: Nο Inland waterway transport (ADN): No Transport by sea according to IMDG: Nο Air transport according to IATA: Nο

#### 14.6 Special precautions for user

Appropriate information in SECTIONS 6 to 8.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

### **SECTION 15: REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU REGULATIONS:** 2008/98/EC (2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH);

(EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT REGULATIONS: ADR (2019); IMDG code (2019, 39. Amdt.); IATA-DGR (2020)

NATIONAL REGULATIONS (DE): Hazardous Substances Ordinance - GefStoffV 2016; Detergents and Cleaning Agents Act - WRMG;

Water Resources Act - WHG; TRGS: 200, 220, 510, 615, 900, 903, 905.

- Water hazard class: 2, pursuant to AwSV dated 18.04.2017

- Hazardous Incident Ordinance No

- Classification according to TA-Air: Not applicable - GISBAU, product code: Not determined - Storage class: (TRGS 510) LGK 10-13

- Employment restrictions:  $Observe\,employment\,restrictions\,for\,expectant\,and\,breastfeeding\,mothers.$ 

Observe employment restrictions for adolescents.

- VOC (2010/75/EU): Not applicable - Other regulations: Not applicable

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture have not been conducted.

# **SECTION 16: OTHER INFORMATION**

### 16.1 Hazard statements (SECTION 3)

H412 Harmful to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

AVV = European Waste Directory

ATE = acute toxicity estimate

BGI = Information from trade associations

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level



Version number: 1.4 / Creation date: 20.06.2022

# Adjustment adhesive / Liquid metal, hardener

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IFA = Institute for Occupational Safety and Health of the German Statutory Accident Insurance

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LCO = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LGK = Storage Class

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TA-Air = Technical instructions on air quality control

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

TRGS = Technical rules for hazardous substances

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

AwSV: Ordinance on installations for handling substances hazardous to water

### 16.3 Other information

Customs tariff: Not determined

Classification method: Skin Sens. 1B: H317 May cause an allergic skin reaction. (calculation method)

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (calculation method)



Version number: 1.4 / Creation date: 20.06.2022

# Adjustment adhesive / Liquid metal, hardener

### **Changed positions**

SECTION 3 Added: Talc (Mg3H2(SiO3)4)

SECTION 3 Added: Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether

SECTION 2 Added: Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether

SECTION 3 Deleted: Silicon dioxide, amorph

SECTION 3 Deleted: Magnesium carbonate

SECTION 3 Added: Titanium dioxide

SECTION 2 Added: The product is subject to labelling according to the Regulation (EC) 1272/2008 (CLP).

 ${\tt SECTION\,2\,Deleted:EUH210\,Safety\,data\,sheet\,available\,on\,request.}$ 

SECTION 2 Deleted: The product is not subject to labelling according to the Regulation (EC) 1272/2008 (CLP).

SECTION 2 Added: Skin Sens. 1B

SECTION 2 Added: EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

SECTION 2 Added: Exclamation mark

SECTION 2 Added: WARNING

SECTION 2 Added: H317 May cause an allergic skin reaction.

SECTION 2 Added: Aquatic Chronic 3

SECTION 2 Added: H412 Harmful to aquatic life with long lasting effects.

SECTION 11 Added: May cause an allergic skin reaction.

SECTION 15 Deleted: 1, as per AwSV dated 18.04.2017

SECTION 15 Added: 2, as per AwSV dated 18.04.2017

 ${\tt SECTION\,15\,Added:}\, Observe\, employment\, restrictions\, for\, expectant\, and\, breast feeding\, mothers.$ 

Observe employment restrictions for adolescents.